

MTP 20

Regulator for EC-vifter, av/på, 3-trinn

Artikkelnummer: [310220](#)

Variant: Standard

3-Step potentiometer for speed control with on/off function

These control switches are to be used in combination with motors/controls from which the 10 V supply voltage is converted into three steps to obtain a minimum, mid and maximum position.

Position 1 and 2 can be adjusted to environmental requirements

- Combined flush or surface mounting


For the manual control of speed and air flow of electrical fans with 0-10V output. The jetproof IP 54 enclosure is achieved with the included surface mounting case. (Flush-mounting without the surface mounting case, gives a splash proof IP 44 enclosure also suitable for highly demand environments as bathrooms etc).




Tekniske parametre

Nominelle data		
Merkespenning	10 til 15	V
Frekvens	DC	
Regulator og følere		
Kapasitetsområde	0...10V	
Styresignal	0...20kOhm	
Dimensjoner og vekt		
Vekt	0,2	kg

Dimensjon



Koblingsskjema



Red: voltage output + 10V max. 1.1 mA

Yellow: control input 0-10Vdc

Blue: GND

Dokumenter

- [mi-SMT-D-4P-EL_EN_NL_FR_DE_systemair.pdf](#)
- [MTP-Declaration of conformity.pdf](#)